ONSET

InTemp® CX502 Data Logger

InTemp Bluetooth Low Energy 90 Day Single-Use Temperature Data Logger (CX502)

Supported Measurements:

Temperature



InTemp CX502 Data Logger Specifications

		-	-	200
	O	10	_	ш
_	~~	м	$\mathbf{\circ}$	

Logger Operating Range -30° to 70°C (-22° to 158°F)

Radio Power 1 mW (0 dBm)

Transmission Range Approximately 30.5 m (100 ft) line-of-sight

Wireless Data Standard Bluetooth Low Energy (Bluetooth Smart)

Logging Rate 1 second to 18 hours

Battery CR2032 (CX501) or CR2450 (CX502 and CX503) 3V lithium, not replaceable.

Battery for CX501 and CX502 lasts for duration specified when logger is used within the 1-year shelf life. Battery life for the CX503 model is 1 year, typical with logging interval of 1 minute. Faster logging intervals, remaining connected with the

InTemp app, excessive downloads, and paging may impact battery life.

Type Single Use

Duration 90 Days

Shelf Life Up to 1 year

Memory 14,000 measurements

Full Memory Download Time Approximately 30 seconds; may take longer the farther the device is from the

logger

Dimensions 6.9 x 4.5 x 1.1 cm (2.71 x 1.76 x 0.42 inches)

Weight 25.5 g (0.90 oz)

Environmental Rating IP67

The CE Marking identifies this product as complying with all relevant directives in

the European Union (EU).

Temperature Sensor

Sensor Range -30° to 70°C (-22° to 158°F)

Accuracy $\pm 1.0^{\circ}$ C from -30° to -5°C ($\pm 1.8^{\circ}$ F from -22° to 23°F)

±0.5°C from -5° to 50°C (±0.9°F from 23° to 122°F)

±1.0°C from 50° to 70°C (±1.8°F from 122° to 158°F)

Resolution $0.04^{\circ}\text{C} (0.072^{\circ}\text{F})$

Contact Us

Sales (8am to 5pm ET, Monday through Friday)

- ► Email sales@onsetcomp.com
- Call 1-508-759-9500
- In U.S. toll free 1-800-564-4377
- Fax 1-508-759-9100

Technical Support (8am to 6pm ET, Monday through Friday)

- ► Contact Product Support www.onsetcomp.com/support/contact
- ► Call 1-508-759-9500
- In U.S. toll free 1-877-564-4377

Onset Computer Corporation 470 MacArthur Boulevard Bourne, MA 02532